EAST Search History

EAST Search History (Prior Art)

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L1	2	"5802105".pn.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/03/25 10:18
L2	10489	(test$4 same (packet or cell or frame) same channel) and (@rlad<"20011210" or @ad<"20011210")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/03/25 12:07
L3	1259	(test$4 same (packet or cell or frame) same channel).ab. and (@rlad<"20011210" or @ad<"20011210")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/03/25 12:07
L4	16	(test$4 same (packet or cell or frame) same channel).ab. and (((forward or downlink) same (reverse or uplink)) with channel) and (@rlad<"20011210" or @ad<"20011210")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/03/25 12:07
L5	128	((MS or mobile) with (send $5 or transmit$4) with (test) with (result or statistic)) and (@rlad<"20011210" or @ad<"20011210")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/03/25 12:07
L6	2	"5357557".pn.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/03/25 12:07
L7	6	((MS or mobile) with (send $5 or transmit$4) with (test) with (result or statistic)) and (sequence adj number) and (updat$4 same (variable or parameter or counter)) and (@rlad<"20011210" or @ad<"20011210")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/03/25 12:07

L8	14	((MS or mobile) same (send $5 or transmit$4) same (test) same (result or statistic)) and (sequence adj number) and (updat$4 same (variable or parameter or counter)) and (@rlad< "20011210" or @ad< "20011210")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/03/25 12:07
L9	8	((MS or mobile) same (send $5 or transmit$4) same (test) same (result or statistic)) and (sequence adj number) and (updat$4 same (variable or parameter or counter)) and (@rlad< "20011210" or @ad< "20011210") not L7	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/03/25 12:07
L10	859516	(test$4).ab. or (test$4).ti. and ((test adj (packet or cell or frame)) same3 (sequence adj number)) and (@rlad< "20011210" or @ad< "20011210")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/03/25 12:07
L11	859516	(test$4).ab. or (test$4).ti. and ((test adj (packet or cell or frame)) same (sequence adj number)) and (@rlad< "20011210" or @ad< "20011210")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/03/25 12:07
L12	29	((test$4).ab. or (test$4).ti.) and ((test adj (packet or cell or frame)) same (sequence adj number)) and (@rlad< "20011210" or @ad< "20011210")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/03/25 12:07
L13	2	"5271000".pn.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/03/25 12:07
L14	4622	(test$4 with control with channel) and (@rlad< "20011210" or @ad< "20011210")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/03/25 12:07
L15	170	(test$4 with control with channel) and wireless.ab. and (@rlad< "20011210" or @ad< "20011210")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/03/25 12:07

L16	16	(test$4 with control with channel).ab. and wireless. ab. and (@rlad<"20011210" or @ad<"20011210")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/03/25 12:07
L17	2	"6122505".pn. and (@rlad<"20011210" or @ad<"20011210")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/03/25 12:07
L18	31	(test$4 with signal$5 with channel).ab. and wireless. ab. and (@rlad<"20011210" or @ad<"20011210")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/03/25 12:07
L19	76	(test$4 with (signal$5 or control) with data with channel) and wireless.ab. and (@rlad<"20011210" or @ad<"20011210")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/03/25 12:07
L20	2	"5802105".pn.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/03/25 12:07
L21	0	Sakadura.inv. and "100111001"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/03/25 12:07
L22	0	Sakadura.in. and "100111001"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/03/25 12:07
L23	0	Sakadura and "100111001"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/03/25 12:07
L24	1	Sakadura	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/03/25 12:07

L25	0	"exchange 20 upon making the call C5"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/03/25 12:07
L26	1	exchange adj "20" adj upon adj making adj2 call adj "C5"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/03/25 12:07
L27	10626	((test$4 with channel).ab. or (test$4 with channel).ti.) and (@rlad<"20011210" or @ad<"20011210")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/03/25 12:07
L28	50	((test$4 with channel).ab. or (test$4 with channel).ti.) and ((message or packet or frame) same (test with (setting or setup))) and (@rlad<"20011210" or @ad<"20011210")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/03/25 12:07
L29	94	((test$4 with channel).ab. or (test$4 with channel).ti.) and ((message or packet or frame) same (test with (setting or setup or parameters or configuration))) and (@rlad<"20011210" or @ad<"20011210")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/03/25 12:07
L30	12	((test$4 with channel).ab. or (test$4 with channel).ti.) and ((message or packet or frame) same (test with (setting or setup or parameters or configuration))) and (reverse or uplink) and (forward or downlink) and (@rlad<"20011210" or @ad<"20011210")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/03/25 12:07
L31	31	((test$4 with channel).ab. or (test$4 with channel).ti.) and ((message or packet or frame) same (length or sequence)) and (reverse or uplink) and (forward or downlink) and (@rlad<"20011210" or @ad<"20011210")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/03/25 12:07

L32	20	((test$4 with channel).ab. or (test$4 with channel).ti.) and ((test or loopback) same (message or packet or frame) same (length or sequence)) and (reverse or uplink) and (forward or downlink) and (@rlad< "20011210" or @ad< "20011210")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/03/25 12:07
L33	11	((test$4 with channel).ab. or (test$4 with channel).ti.) and ((message or packet or frame) same (length or sequence)) and (reverse or uplink) and (forward or downlink) and (@rlad< "20011210" or @ad< "20011210") not L32	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/03/25 12:07
L34	8	((test$4 with channel).ab. or (test$4 with channel).ti.) and (loopback same (message or packet or frame) same (length or sequence)) and (@rlad< "20011210" or @ad< "20011210")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/03/25 12:07
L35	2	"6766164".pn. and (@rlad< "20011210" or @ad< "20011210")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/03/25 12:07
L36	798	(loopback adj test$4) and (@rlad< "20011210" or @ad< "20011210")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/03/25 12:07
L37	19	((loopback adj test$4) with (period or interval)) and (@rlad< "20011210" or @ad< "20011210")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/03/25 12:07
L38	2	"6031845".pn. and (@rlad< "20011210" or @ad< "20011210")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/03/25 12:07

L39	2	"5271000".pn. and (@rlad< "20011210" or @ad< "20011210")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/03/25 12:07
L40	2	"6014377".pn. and (@rlad< "20011210" or @ad< "20011210")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/03/25 12:07
L41	2	"7110466".pn. and (@rlad< "20011210" or @ad< "20011210")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/03/25 12:07
L42	2	"6687499".pn. and (@rlad< "20011210" or @ad< "20011210")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/03/25 12:07
L43	2	"5802105".pn. and (@rlad< "20011210" or @ad< "20011210")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/03/25 12:07
L44	2	"6799203".pn. and (@rlad< "20011210" or @ad< "20011210")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/03/25 12:07
L45	17	(US-20030131297-$ or US-20020009134-$ or US-20090147671-$).did. or (US-7289604-$ or US-6680913-$ or US-5802105-$ or US-5521904-$ or US-6185191-$ or US-5898674-$ or US-5742589-$ or US-3922508-$ or US-6766164-$ or US-5271000-$ or US-6014377-$ or US-7110466-$ or US-6687499-$ or US-6799203-$).did.	US-PGPUB; USPAT	OR	ON	2010/03/25 12:07

| L46 | 4 | (loopback and rate) and ((US-20030131297-$ or US-20020009134-$ or US-20090147671-$).did. or (US-7289604-$ or US-6680913-$ or US-5802105-$ or US-5521904-$ or US-6185191-$ or US-5898674-$ or US-5742589-$ or US-3922508-$ or US-6766164-$ or US-5271000-$ or US-6014377-$ or US-7110466-$ or US-6687499-$ or US-6799203-$).did.) | US-PGPUB; USPAT | OR | ON | 2010/03/25 12:07 |

3/25/2010 12:13:48 PM
C:\Documents and Settings\sahmed\My Documents\EAST\Workspaces\10015926-Jan-15-2009.wsp